

नेपोफेन

DICLOFENAC

NEPOFEN[®]

Range
for the
management
of **pain** and
inflammation of
different origins.



Deurali-Janta

Brief Prescribing Information

DESCRIPTION

Diclofenac, as the sodium or potassium salt, is a benzeneacetic acid derivative, designated chemically as 2-[(2,6-dichlorophenyl)amino]benzeneacetic acid, monosodium or monopotassium salt.

DOSAGE

For **NEPOFEN-50** and **NEPOFEN-K** Tablets:
The usual dose of adult is 1-3 Tablets in divided doses usually after food.

For **NEPOFEN-SR** Tablet:

Adults: 1 Tablet once a day, in the morning or evening, is usually recommended.

INDICATION

NEPOFEN (Diclofenac Sodium or Potassium) is an antiinflammatory and analgesic agent indicated for Ankylosing Spondylitis, Osteoarthritis, Rheumatoid Arthritis and other inflammatory conditions. Beside the above indication, Diclofenac Potassium is also very useful for the management of Pain and Dysmenorrhea in Diabetic, Hypertensive & related patients.

SIDE EFFECT

The most common side effects of Diclofenac are Edema, Fluid Retention, Gastic Irritation, Constipation, Diarrhea, Headache, Indigestion and Nausea.

PRECAUTIONS

Caution should be excersied in liver or kidney disease, blood disorders, ulcers, alcohol use & eye disease or allergies, especially the drug allergies.

NEPOFEN[®]

DICLOFENAC

- Nonsteroidal Anti-Inflammatory,
- Antirheumatic,
- Vascular Headache Suppressant,
- Antigout agent,
- Antidysmenorrheal Pain reliever &
- Analgesic

A potent Anti-inflammatory and Analgesic

For further information, please contact :

**Deurali-Janta
Pharmaceuticals Pvt. Ltd.**

Corporate & Sales Office:
Hattisar, Kamalpokhari,
GPO Box 4239, Kathmandu, Nepal.
Tel: 435167/68/69
Fax: +977-1-435166 , 412292
Email: djpl@ccsl.com.np

In Technical Collaboration with:

RENATA LIMITED

Bangladesh
© Registered Trade Mark



*Resolving
The Common
Problems*

**INFLAMMATION
SWELLING
STIFFNESS
JOINT PAIN**

*An option
for Relief*

NEPOFEN[®]



NEPOFEN[®]-50
Diclofenac Sodium
50 mg /Tab.

NEPOFEN REGIMEN

An anti-inflammatory
and analgesic agent for
the symptomatic
treatment of

- Rheumatoid arthritis
(acute and chronic)
- Osteoarthritis
- Ankylosing spondylitis
- Other Inflammatory
Conditions

NEPOFEN[®]-SR
Diclofenac Sodium in
Sustained Release Form
100 mg /Tab.

NEPOFEN[®]-K
Diclofenac Potassium
50 mg /Tab.