

*proton pump
inhibitor*

NORMA-20
Omeprazole 20mg Capsules

नर्मा २०

NORMA-20

Omeprazole 20mg



Provide
quick
relief of
pain and
promote
healing of
the ulcer

NORMA-20

Omeprazole 20mg Capsules

BELIEVE IN RAPID RELIEF

● **NORMA-20** (Omeprazole) inhibits basal and stimulated gastric acid secretion.

● In addition, **NORMA-20** inhibits the final step in the secretory pathway, it inhibits such secretion, regardless of the stimulus.

● The degree of inhibition of gastric acid secretion is related to the dose and duration of therapy, but **NORMA-20** (Omeprazole) is a more potent inhibitor of such secretion than H₂-receptor antagonists.

For further information, please contact :

Deurali-Janta Pharmaceuticals Pvt. Ltd.

Corporate & Sales Office:

Hattisar, Kamalpokhari, GPO Box 4239, Kathmandu, Nepal.

Tel: 435167/68/69 , Fax: +977-1-435166 , 412292

Email: djpl@ccsl.com.np



In Technical Collaboration with:

RENATA LIMITED

Bangladesh

**BLOCKS
FINAL
STAGE
OF ACID
SECRETION**

NORMA-20

Omeprazole 20mg Capsules

नर्मा २०

NORMA-20

Omeprazole 20mg



**Provide
quick
relief of
pain and
promote
healing of
the ulcer**

PRESCRIBING INFORMATION

NORMA-20

Omeprazole 20mg Capsules

DESCRIPTION

Norma-20 (Omeprazole) capsule is a Proton Pump inhibitor that decreases the amount of acid in the stomach. The Proton Pump releases Hydrochloric Acid in the stomach. Omeprazole binds to this Proton Pump and blocks the secretion of acid into the stomach. This quickly relieves pain and promote healing of ulcer.

INDICATION

- ◆ Gastroesophageal Reflux Disease (GERD) (Prophylaxis and Treatment)
- ◆ Heartburn and other symptoms associated with GERD
- ◆ Erosive Oesophagitis (Treatment)
- ◆ Hypersecretary condition (Treatment)
- ◆ Zollinger-Ellison Syndrome, (Treatment), a Hypersecretary condition
- ◆ Ulcer Peptic [Duodenal, Gastric] (Treatment)
- ◆ Ulcer Peptic, NSAID Induced (Treatment)
- ◆ Treatment of *Helicobacter pylori* (In combination with antibiotics as dual or triple therapy)

DOSAGE

The usual dose of **Norma-20** for Duodenal Ulcer is 20mg once daily for 4-8 weeks or as directed by Physician. **Norma-20** is taken before meal (preferentially the morning meal), or may be taken with food or in empty stomach.

SIDE EFFECT

The usual side-effects are Headache, Diarrhoea, Abdominal Pain, Nausea, Vomiting, Constipation and Flatulence.

PRECAUTION

Norma-20 is not recommended in pregnancy and breast feeding, unless the benefit outweighs possible risk. Omeprazole should be used with caution in patients with hepatic impairment and dosage adjusted accordingly.

PRESENTATION

Norma-20 capsule contains:
Omeprazole BP 20mg
(As enteric coated granules)
Excipients q.s.
Approved colours used in gelatin capsule shells.
Available as 10 x 6 Capsules.

Deurali-Janta: Quality At Its Best